

Illinois Department of Transportation
 Bureau of Materials and Physical Research
APPROVED LIST OF CONCRETE SEALERS
 October 16, 2009

This list supersedes the July 31, 2009 list.

Standard Specifications for Road and Bridge Construction, Section 1026 (Adopted January 1, 2007)

Note: Prior to application of the included materials, the technical representative should be contacted for specific application instructions. These products are not approved for use as curing compounds. For information on curing compounds, contact the Concrete Lab Supervisor at 217-782-0117.

<u>PRODUCT/SOURCE</u>	<u>* SURFACE CONDITION AT</u>	<u>* MAXIMUM APPLICATION RATE,</u>	<u>APPLICATION TEMPERATURE RANGE (°F)</u>	<u>CONCRETE** AGE BEFORE APPLICATION</u>
		<u>m² / l (ft² / gal.)</u>		

ChemTec, Int'l.

7771 Woodstone Dr, Suite 100

Cincinnati, OH 45244

Phone: 513-474-2090

Attn: James W. Sisti

Producer/Supplier No. 5833-01

Material Code No. 42725

www.concretesealer.net

ChemTec One (P) (4)

dry, clean, and
no membrane
curing compound

Two Applications: 2.45 (100)

38-110

15 days minimum